

**NOTIFICATION OF A FIREWORKS DISPLAY OR
SPECIAL EFFECTS DISPLAY**
Explosives (Fireworks) Regulations 2016



This form must be completed by the supervising pyrotechnician prior to conducting any fireworks display or special effects display. One form is to be completed for EACH display. Under Regulation 13(1) of the *Explosives (Fireworks) Regulations 2016*, the supervising pyrotechnician must notify the Director in writing of any fireworks or special effects display **at least 5 clear business days** prior to conducting the display.

Supervising Pyrotechnician's details		
Name		Licence number: PY
Address	Suburb	Postcode
Postal address	Suburb	Postcode
Email	Mobile	Telephone

Pyrotechnic Business (Display) Licence details <i>(if applicable)</i> :		
Company/Business name		Licence number: BD
Contact person	ABN	ACN
Email	Mobile	Telephone

List pyrotechnician/s and other persons assisting in the use of fireworks <i>(Note: all unlicensed assistants must be under the direct and personal supervision of a licensed pyrotechnician)</i>	
Name (+ address for non-licensed persons)	Licence number <i>(if applicable)</i>

Event/Display details		
Name of event		
Contact details of event organiser		
Local authority with jurisdiction over the display location		
Name and contact details of the person who owns or has the care, control or management of the land		
Address of the location of the display		
Date of display	Start time	Finish time

**NOTIFICATION OF A FIREWORKS DISPLAY OR
SPECIAL EFFECTS DISPLAY**
Explosives (Fireworks) Regulations 2016



Type of display (tick all applicable)			
<input type="checkbox"/>	Aerial	<input type="checkbox"/>	Strings of crackers
<input type="checkbox"/>	Ground	<input type="checkbox"/>	Special effects
<input type="checkbox"/>	Close proximity (e.g. indoor, theatrical)	<input type="checkbox"/>	Other

List of fireworks to be used in display (Note: if insufficient room, attach the list to the notification)				
Type of firework	Hazard level (HL1, HL2, HL3, HL4)	Size (mm)	Calculated min clearance distance (m)	Quantity
e.g. Aerial shells – single break	HL3	75	75	350

Is CASA approval required?	
<input type="checkbox"/> Yes <input type="checkbox"/> No (please tick applicable)	CASA approval may be required, e.g. if the display exceeds a height limit of 400 feet (120 m); OR is within 3 nautical miles (5.56 km) of an aerodrome (includes airports and helipads)

Supporting documents checklist
<input type="checkbox"/> Evidence that the person who owns or has the care, control of management of the land has consented to the use of the land for a firework display
<input type="checkbox"/> In the case of a display involving the use of string crackers, evidence that the display is for a cultural or religious ceremony or celebration
<input type="checkbox"/> During the fire danger season, a Ninth Schedule permit under the <i>Fire and Emergency Services Act 2005</i>
<input type="checkbox"/> List of the fireworks to be used in the display including the size, quantity and minimum clearance distances
<input type="checkbox"/> CASA approval (where required)
<input type="checkbox"/> Public Notice of Display 7-14 days before the display is conducted (as required)

Declaration
<p>I declare that the particulars provided in and with this notification are true and correct:</p> <p>Name of supervising pyrotechnician completing this application:</p> <p>Signature: _____ Date: _____</p> <p style="text-align: center;">Return to: SWSADangerousSubstancesTeam@sa.gov.au</p>

INSPECTOR'S REPORT (For office use only):
<p>Inspector: _____ Date: _____</p>